

# OperationalError at /israel/he/recipes/pomi-recipes/lasagne-mezzadri/pdf/

connection to server at "pg-proxy-service" (10.111.241.242), port 5432 failed: FATAL: remaining connection slots are reserved for non-replication superuser connections

**Request Method:** GET

**Request URL:** https://pomi-international.k8s.live.devhoop.com/israel/he/recipes/pomi-recipes/lasagne-mezzadri/pdf/?html=1

**Django Version:** 4.1.5

**Exception Type:** OperationalError

**Exception Value:** connection to server at "pg-proxy-service" (10.111.241.242), port 5432 failed: FATAL: remaining connection slots are reserved for non-replication superuser connections

**Exception Location:** /usr/local/lib/python3.10/site-packages/psycopg2/\_init\_.py, line 122, in connect

**Python Executable:** /usr/local/bin/uwsgi

**Python Version:** 3.10.9

**Python Path:** ['/opt/project/src',  
 ...,  
 '/usr/local/lib/python310.zip',  
 '/usr/local/lib/python3.10',  
 '/usr/local/lib/python3.10/lib-dynload',  
 '/usr/local/lib/python3.10/site-packages',  
 '/usr/local/lib/python3.10/site-packages/odf',  
 '/usr/local/lib/python3.10/site-packages/odf',  
 '/usr/local/lib/python3.10/site-packages/odf',  
 '/usr/local/lib/python3.10/site-packages/odf',  
 '/usr/local/lib/python3.10/site-packages/odf',  
 '/usr/local/lib/python3.10/site-packages/odf',  
 '/usr/local/lib/python3.10/site-packages/odf']

**Server time:** Tue, 17 Dec 2024 18:00:05 +0000

## Traceback [Switch to copy-and-paste view](#)

/opt/project/src/geotargeting/middleware.py, line 71, in process\_request

71. assert forced\_cluster\_slug is not None

► Local vars

## During handling of the above exception (), another exception occurred:

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 282, in ensure\_connection

282. self.connect()

► Local vars

/usr/local/lib/python3.10/site-packages/sentry\_sdk/integrations/django/\_init\_.py, line 586, in connect

586. return real\_connect(self)

► Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

26. return func(\*args, \*\*kwargs)

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 263, in connect

263. self.connection = self.get\_new\_connection(conn\_params)

► Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

26. return func(\*args, \*\*kwargs)

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/postgresql/base.py, line 215, in get\_new\_connection

215. connection = Database.connect(\*\*conn\_params)

► Local vars

/usr/local/lib/python3.10/site-packages/psycopg2/\_init\_.py, line 122, in connect

122. conn = \_connect(dsn, connection\_factory=connection\_factory, \*\*kwasync)

► Local vars

**The above exception (connection to server at "pg-proxy-service" (10.111.241.242), port 5432 failed: FATAL: remaining connection slots are reserved for non-replication superuser connections ) was the direct cause of the following exception:**

/usr/local/lib/python3.10/site-packages/django/core/handlers/exception.py, line 55, in inner

```
55.             response = get_response(request) ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/sentry\_sdk/integrations/django/middleware.py, line 176, in \_\_call\_\_

```
176.         return f(*args, **kwargs) ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/utils/deprecation.py, line 135, in \_\_call\_\_

```
135.         response = self.process_request(request) ...
```

► Local vars

/opt/project/src/geotargeting/middleware.py, line 76, in process\_request

```
76.         cluster, domain = get_cluster_from_path(request.build_absolute_uri()) ...
```

► Local vars

/opt/project/src/geotargeting/utils.py, line 64, in get\_cluster\_from\_path

```
64.         for domain in cluster.domains.all(): ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/models/query.py, line 394, in \_\_iter\_\_

```
394.         self._fetch_all() ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/models/query.py, line 1867, in \_fetch\_all

```
1867.         self._result_cache = list(self._iterable_class(self)) ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/models/query.py, line 87, in \_\_iter\_\_

```
87.         results = compiler.execute_sql() ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/models/sql/compiler.py, line 1396, in execute\_sql

```
1396.         cursor = self.connection.cursor() ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs) ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 323, in cursor

```
323.         return self._cursor() ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 299, in \_cursor

```
299.         self.ensure_connection() ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs) ...
```

► Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 281, in ensure\_connection

```
281.         with self.wrap_database_errors: ...
```

► Local vars

```

/usr/local/lib/python3.10/site-packages/django/db/utils.py, line 91, in __exit__
91.             raise dj_exc_value.with_traceback(traceback) from exc_value
...
▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 282, in ensure_connection
282.         self.connect()
...
▶ Local vars

/usr/local/lib/python3.10/site-packages/sentry_sdk/integrations/django/__init__.py, line 586, in connect
586.         return real_connect(self)
...
▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner
26.     return func(*args, **kwargs)
...
▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 263, in connect
263.     self.connection = self.get_new_connection(conn_params)
...
▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner
26.     return func(*args, **kwargs)
...
▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/postgresql/base.py, line 215, in get_new_connection
215.     connection = Database.connect(**conn_params)
...
▶ Local vars

/usr/local/lib/python3.10/site-packages/psycopg2/__init__.py, line 122, in connect
122.     conn = _connect(dsn, connection_factory=connection_factory, **kwasync)
...
▶ Local vars

```

## Request information

**USER** AnonymousUser

GET	Variable	Value
	html	'1'

**POST** No POST data

**FILES** No FILES data

**COOKIES** No cookie data

META	Variable	Value
	CONTENT_LENGTH	''
	CONTENT_TYPE	''
	DOCUMENT_ROOT	'/opt/project/src'
	HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
	HTTP_ACCEPT_ENCODING	'gzip, deflate'
	HTTP_ACCEPT_LANGUAGE	'en,*'
	HTTP_HOST	'pomi-international.k8s.live.devhoop.com'
	HTTP_USER_AGENT	('Mozilla/5.0 (Unknown; Linux x86_64) AppleWebKit/602.1 (KHTML, like Gecko) ' 'wkhtmltopdf Version/10.0 Safari/602.1')
	HTTP_X_FORWARDED_FOR	'10.108.4.49'
	HTTP_X_FORWARDED_HOST	'pomi-international.k8s.live.devhoop.com'
	HTTP_X_FORWARDED_PORT	'443'
	HTTP_X_FORWARDED_PROTO	'https'
	HTTP_X_FORWARDED_SCHEME	'https'
	HTTP_X_REAL_IP	'10.108.4.49'
	HTTP_X_REQUEST_ID	'49c53cf0862ae746e973008c1ca48c7d'
	HTTP_X_SCHEME	'https'
	PATH_INFO	'/israel/he/recipes/pomi-recipes/lasagne-mezzadri/pdf/'

```

QUERY_STRING           'html=1'
REMOTE_ADDR          '10.108.3.127'
REMOTE_PORT          '48084'
REQUEST_METHOD        'GET'
REQUEST_SCHEME        'http'
REQUEST_URI           '/israel/he/recipes/pomi-recipes/lasagne-mezzadri/pdf/?html=1'
SCRIPT_NAME           ''
SERVER_NAME           'pomi-website.k8s.live.devhoop.com'
SERVER_PORT           '80'
SERVER_PROTOCOL       'HTTP/1.1'
uwsgi.core            0
uwsgi.node            b'web-deployment-7555c6664-77b7l'
uwsgi.version          b'2.0.21'
wsgi.errors            <_io.TextIOWrapper name=2 mode='w' encoding='UTF-8'>
wsgi.file_wrapper      <built-in function uwsgi_sendfile>
wsgi.input              <uwsgi._Input object at 0x79d023210430>
wsgi.multiprocess      False
wsgi.multithread       True
wsgi.run_once           False
wsgi.url_scheme         'https'
wsgi.version            (1, 0)

```

## Settings

Using settings module `_pomi_website.settings`

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	[ '*' ]
APPEND_SLASH	True
ASYNC_IMPORT_EXPORT_NOTIFICATION_RECIPIENTS	['c.evangelisti@hoopcommunication.it', 'c.bartolini@hoopcommunication.it']
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	'*****'
AUTH_USER_MODEL	'custom_auth.CustomUser'
BASE_DIR	'/opt/project/src'
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.memcached.PyMemcacheCache', 'KEY_PREFIX': '*****', 'LOCATION': 'memcached-service:11211', 'TIMEOUT': 3600}}
CACHE_DEFAULT_BACKEND_CONF	{'LIVE': {'BACKEND': 'django.core.cache.backends.memcached.PyMemcacheCache', 'KEY_PREFIX': '*****', 'LOCATION': 'memcached-service:11211', 'TIMEOUT': 3600}, 'LOCAL': {'BACKEND': 'django.core.cache.backends.dummy.DummyCache'}, 'TEST': {'BACKEND': 'django.core.cache.backends.dummy.DummyCache'}}}
CACHE_DURATION_DEFAULT	3600
CACHE_KEY_PREFIX	'*****'
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	'*****'
CACHE_MIDDLEWARE_SECONDS	600
CELERY_BROKER_URL	'amqp://rabbit-web:rabbit-web@rabbitmq-live-headless.websites-infrastructure.svc:5672/pomi'
CELERY_BROKER_URL_CONFIG	{'LIVE': 'amqp://rabbit-web:rabbit-web@rabbitmq-live-headless.websites-infrastructure.svc:5672/pomi', 'LOCAL': 'amqp://pomi_website:pomi_website@localhost:5672/pomi_website', 'TEST': 'amqp://pomi_website:pomi_website@rabbitmq:5672/pomi_website'}
CELERY_RESULT_BACKEND	'django-db'
CELERY_TASK_ALWAYS_EAGER	False
CMS_CACHE_DURATIONS	{'content': 3600, 'menus': 3600, 'permissions': 3600}
CMS_LANGUAGES	{1: [{{'code': 'it', 'fallbacks': [], 'hide_untranslated': True, 'name': 'Italienisch', 'public': True, 'redirect_on_fallback': False}, {'code': 'en', 'fallbacks': [], 'hide_untranslated': True, 'name': 'Englisch'}}]}

```

    'public': True,
    'redirect_on_fallback': False},
{'code': 'es',
 'fallbacks': [],
 'hide_untranslated': True,
 'name': 'Spanisch',
 'public': True,
 'redirect_on_fallback': False},
{'code': 'de',
 'fallbacks': [],
 'hide_untranslated': True,
 'name': 'Deutsch',
 'public': True,
 'redirect_on_fallback': False},
{'code': 'fr',
 'fallbacks': [],
 'hide_untranslated': True,
 'name': 'Französisch',
 'public': True,
 'redirect_on_fallback': False},
{'code': 'ar',
 'fallbacks': [],
 'hide_untranslated': True,
 'name': 'Arabisch',
 'public': True,
 'redirect_on_fallback': False},
{'code': 'ru',
 'fallbacks': [],
 'hide_untranslated': True,
 'name': 'Russisch',
 'public': True,
 'redirect_on_fallback': False},
{'code': 'ja',
 'fallbacks': [],
 'hide_untranslated': True,
 'name': 'Japanisch',
 'public': True,
 'redirect_on_fallback': False},
{'code': 'en-us',
 'fallbacks': [],
 'hide_untranslated': True,
 'name': 'Englisch US',
 'public': True,
 'redirect_on_fallback': False},
{'code': 'he',
 'fallbacks': [],
 'hide_untranslated': True,
 'name': 'Hebräisch',
 'public': True,
 'redirect_on_fallback': False}],
'default': {'fallbacks': [],
 'hide_untranslated': True,
 'public': True,
 'redirect_on_fallback': False},
<class 'cms.utils.conf.VERIFIED'>: True}
CMS_PAGE_CACHE
False
CMS_PLACEHOLDER_CONF
{'bottom_content': {'name': 'Bottom Content Placeholder'},
 'cms_content': {'name': 'Static content from CMS'},
 'middle_content_column_large_5': {'name': 'Column large 5 Placeholder'},
 'middle_content_column_large_7': {'name': 'Column large 7 Placeholder'},
 'top_content': {'name': 'Top Content Placeholder'}}
CMS_TEMPLATES_DIR
{1: '/opt/project/src/themes/templates/themes/cms/pages/',
 2: '/opt/project/src/themes/templates/themes/cms/pages/'}
CONFIG_DATABASES
{'LIVE': {'default': {'ATOMIC_REQUESTS': False,
 'AUTOCOMMIT': True,
 'CONN_HEALTH_CHECKS': False,
 'CONN_MAX_AGE': 0,
 'ENGINE': 'django.db.backends.postgresql_psycopg2',
 'HOST': 'pg-proxy-service',
 'NAME': 'pomi',
 'OPTIONS': {},
 'PASSWORD': '*****',
 'PORT': '',
 'TEST': {'CHARSET': None,
 'COLLATION': None,
 'MIGRATE': True,
 'MIRROR': None,
 'NAME': None},
 'TIME_ZONE': None,
 'USER': 'pomi'}},
 'LOCAL': {'default': {'ENGINE': 'django.db.backends.postgresql_psycopg2',
 'HOST': 'pg-proxy-service',
 'NAME': 'pomi',

```

```

'PASSWORD': '*****',
'PORT': '',
'USER': 'pomi'}}},
'TEST': {'default': {'ENGINE':
'django.db.backends.postgresql_psycopg2',
'HOST': 'postgres',
'NAME': 'pomi_website',
'PASSWORD': '*****',
'PORT': '',
'USER': 'pomi_website'}}}
CONFIG_EMAIL_FROM
{'LIVE': 'Pomi <pomismt@studiopleiadi.com>',
'LOCAL': 'Pomi <pomismt@studiopleiadi.com>',
'TEST': 'Pomi <pomismt@studiopleiadi.com>'}

CONFIG_EMAIL_HOST
{'LIVE': 'smtp5.studiopleiadi.com',
'LOCAL': 'smtp5.studiopleiadi.com',
'TEST': 'smtp5.studiopleiadi.com'}

CONFIG_EMAIL_TO
{'LIVE': ('info@pomionline.it',),
'LOCAL': ('c.bartolini@hoopcommunication.it',),
'TEST': ('c.bartolini@hoopcommunication.it',)}

CONFIG_NEWSLETTER_EMAIL_TO
{'LIVE': ('c.bartolini@hoopcommunication.it',),
'LOCAL': ('c.bartolini@hoopcommunication.it',),
'TEST': ('c.bartolini@hoopcommunication.it',)}

CSRF_COOKIE_AGE
31449600
CSRF_COOKIE_DOMAIN
None
CSRF_COOKIE_HTTPONLY
False
CSRF_COOKIE_MASKED
False
CSRF_COOKIE_NAME
'csrftoken'
CSRF_COOKIE_PATH
'/'
CSRF_COOKIE_SAMESITE
'Lax'
CSRF_COOKIE_SECURE
False
CSRF_FAILURE_VIEW
'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME
'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS
[]
CSRF_USE_SESSIONS
False
CURRENT_ENV
'LIVE'
DATABASES
{'default': {'ATOMIC_REQUESTS': False,
'AUTOCOMMIT': True,
'CONN_HEALTH_CHECKS': False,
'CONN_MAX_AGE': 0,
'ENGINE': 'django.db.backends.postgresql_psycopg2',
'HOST': 'pg-proxy-service',
'NAME': 'pomi',
'OPTIONS': {},
'PASSWORD': '*****',
'PORT': '',
'TEST': {'CHARSET': None,
'COLLATION': None,
'MIGRATE': True,
'MIRROR': None,
'NAME': None},
'TIME_ZONE': None,
'USER': 'pomi'}}}
DATABASE_ROUTERS
[]
DATA_UPLOAD_MAX_MEMORY_SIZE
2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
1000
DATETIME_FORMAT
'N j, Y, P'
DATETIME_INPUT_FORMATS
['%Y-%m-%d %H:%M:%S',
'%Y-%m-%d %H:%M:%S.%f',
'%Y-%m-%d %H:%M',
'%m/%d/%Y %H:%M:%S',
'%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M',
'%m/%d/%y %H:%M:%S',
'%m/%d/%y %H:%M:%S.%f',
'%m/%d/%y %H:%M']

DATE_FORMAT
'N j, Y'
DATE_INPUT_FORMATS
['%Y-%m-%d',
'%m/%d/%Y',
'%m/%d/%y',
'%b %d %Y',
'%b %d, %Y',
'%d %b %Y',
'%d %b, %Y',
'%B %d %Y',
'%B %d, %Y',
'%d %B %Y',
'%d %B, %Y']

DEBUG
True
DEBUG_PROPAGATE_EXCEPTIONS
False
DECIMAL_SEPARATOR
'.
DEFAULT_AUTO_FIELD
'django.db.models.BigAutoField'

```

```
DEFAULT_BCC_EMAIL ('c.bartolini@hoopcommunication.it',)
DEFAULT_CC_EMAIL ''
DEFAULT_CHARSET 'utf-8'
DEFAULT_EXCEPTION_REPORTER 'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE 'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL 'Pomi <pomimail@studioleiadi.com>'
DEFAULT_INDEX_TABLESPACE ''
DEFAULT_SCHEME 'https'
DEFAULT_TABLESPACE ''
DEFAULT_TO_EMAIL ('info@pomionline.it',)
DISALLOWED_USER_AGENTS []
EMAIL_BACKEND 'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST 'smtp5.studioleiadi.com'
EMAIL_HOST_PASSWORD '*****'
EMAIL_HOST_USER ''
EMAIL_PORT 12525
EMAIL_SSL_CERTFILE None
EMAIL_SSL_KEYFILE '*****'
EMAIL_SUBJECT_PREFIX '[Django] '
EMAIL_TIMEOUT None
EMAIL_USE_LOCALTIME False
EMAIL_USE_SSL False
EMAIL_USE_TLS False
FILER_IMAGE_MODEL 'filer.Image'
FILE_UPLOAD_DIRECTORY_PERMISSIONS ['django.core.files.uploadhandler.MemoryFileUploadHandler',
'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_HANDLERS 2621440
FILE_UPLOAD_MAX_MEMORY_SIZE 420
FILE_UPLOAD_PERMISSIONS None
FILE_UPLOAD_TEMP_DIR 0
FIRST_DAY_OF_WEEK []
FIXTURE_DIRS None
FORCE_SCRIPT_NAME None
FORMAT_MODULE_PATH None
FORM_RENDERER 'django.forms.renderers.DjangoTemplates'
GEOTARGETTING_CLUSTER_SLUG 'pomito'
GEOTARGETTING_URLS_WHITELIST []
GEOTARGETTING_WORLDWIDE_CLUSTER_SLUG 'italia'
IGNORABLE_404_URLS []
IMPORT_EXPORT_TMP_STORAGE_CLASS <class 'import_export.tmp_storages.MediaStorage'>
INSTALLED_APPS ['dynamic_settings.apps.DynamicSettingsConfig',
'geotargeting.apps.GeotargetingConfig',
'modeltranslation',
'themes',
'django.contrib.admin',
'django.contrib.auth',
'django.contrib.contenttypes',
'django.contrib.sessions',
'django.contrib.messages',
'django.contrib.staticfiles',
'django.contrib.sites',
'django.contrib.humanize',
'django.contrib.sitemaps',
'easy_thumbnails.apps.Easy ThumbnailsConfig',
'tz_detect',
'crequest',
'import_export',
'django_celery_beat',
'django_celery_results',
'sortedm2m',
'adminsortable2',
'captcha',
'rest_framework',
'versatileimagefield',
'core',
'core.webp_srcset.apps.WebpSrcsetConfig',
'custom_auth.apps.CustomAuthConfig',
'pleiadi_content',
'versatile_image',
'site_menu.apps.SiteMenuConfig',
'filer',
'pleiadi_geographic.apps.PleiadiGeographicConfig',
'mailing',
'site_extension.apps.SiteExtensionConfig',
'media_cleaner.apps.MediaCleanerConfig',
'caching.apps.CachingConfig',
'data_exporter.apps.DataExporterConfig',
```

```

'cms',
'treebeard',
'menus',
'sekizai',
'cms_extensions.apps.CmsExtensionsConfig',
'djangocms_text_ckeditor',
'pleiadi_composer.apps.PleiadiComposerConfig',
'recipes.apps.RecipesConfig',
'products.apps.ProductsConfig',
'contacts.apps.ContactsConfig',
'media_center.blog.apps.BlogConfig',
'media_center.press.apps.PressConfig',
'recipes_books.apps.RecipesBooksConfig']

INTERNAL_IPS
['127.0.0.1']

LANGUAGES
[('it', 'Italian'),
('en', 'English'),
('es', 'Spanish'),
('de', 'German'),
('fr', 'French'),
('ar', 'Arabic'),
('ru', 'Russian'),
('ja', 'Japanese'),
('en-us', 'English US'),
('he', 'Hebrew')]

LANGUAGES_BIDI
['he', 'ar', 'ar-dz', 'fa', 'ur']

LANGUAGES_CONFIGURATION
{'ar': {'active': True,
'country_slug': 'united-arab-emirates',
'flag': 'pleiadi_content/languages/images/flags/ar.gif',
'locale': 'ar',
'locale_country': 'ar-AE',
'rel_alternate_language_code': 'ar',
'text_direction': 'rtl',
'veisible_front_end': True},
'de': {'active': True,
'country_slug': 'germany',
'flag': 'pleiadi_content/languages/images/flags/de.gif',
'locale': 'de',
'locale_country': 'de-DE',
'rel_alternate_language_code': 'de',
'text_direction': 'ltr',
'veisible_front_end': True},
'en': {'active': True,
'country_slug': None,
'flag': 'pleiadi_content/languages/images/flags/en.gif',
'locale': 'en',
'locale_country': 'en',
'rel_alternate_language_code': 'en',
'text_direction': 'ltr',
'veisible_front_end': True},
'en-us': {'active': True,
'country_slug': None,
'flag':
'pleiadi_content/languages/images/flags/usa.gif',
'locale': 'en-us',
'locale_country': 'en-US',
'rel_alternate_language_code': 'en-us',
'text_direction': 'ltr',
'veisible_front_end': True},
'es': {'active': True,
'country_slug': 'spain',
'flag': 'pleiadi_content/languages/images/flags/es.gif',
'locale': 'es',
'locale_country': 'es-ES',
'rel_alternate_language_code': 'es',
'text_direction': 'ltr',
'veisible_front_end': True},
'fr': {'active': True,
'country_slug': 'france',
'flag': 'pleiadi_content/languages/images/flags/fr.gif',
'locale': 'fr',
'locale_country': 'fr-FR',
'rel_alternate_language_code': 'fr',
'text_direction': 'ltr',
'veisible_front_end': True},
'he': {'active': True,
'country_slug': 'israel',
'flag': 'pleiadi_content/languages/images/flags/il.gif',
'locale': 'he',
'locale_country': 'he',
'rel_alternate_language_code': 'he',
'text_direction': 'rtl',
'veisible_front_end': True},
'it': {'active': True,
'country_slug': 'italia',
'flag': 'pleiadi_content/languages/images/flags/it.gif',
'locale': 'it',
'locale_country': 'it-IT',
}

```

```

        'rel_alternate_language_code': 'it',
        'text_direction': 'ltr',
        'visible_front_end': True},
    'ja': {'active': True,
            'country_slug': 'japan',
            'flag': 'pleiadi_content/languages/images/flags/ja.gif',
            'locale': 'ja',
            'locale_country': 'ja',
            'rel_alternate_language_code': 'ja',
            'text_direction': 'ltr',
            'visible_front_end': True},
    'ru': {'active': True,
            'country_slug': 'russian-federation',
            'flag': 'pleiadi_content/languages/images/flags/ru.gif',
            'locale': 'ru',
            'locale_country': 'ru',
            'rel_alternate_language_code': 'ru',
            'text_direction': 'ltr',
            'visible_front_end': True}}
LANGUAGE_CODE                                'it'
LANGUAGE_COOKIE_AGE                           None
LANGUAGE_COOKIE_DOMAIN                         None
LANGUAGE_COOKIE_HTTPONLY                        False
LANGUAGE_COOKIE_NAME                           'django_language'
LANGUAGE_COOKIE_PATH                           '/'
LANGUAGE_COOKIE_SAMESITE                      None
LANGUAGE_COOKIE_SECURE                          False
LOCALE_PATHS                                 ('/opt/project/src/locale',)
LOGGING                                     {}
LOGGING_CONFIG                               'logging.config.dictConfig'
LOGIN_REDIRECT_URL                           '/accounts/profile/'
LOGIN_URL                                    '/accounts/login/'
LOGOUT_REDIRECT_URL                          None
MAILCHIMP_API_KEY                            '*****'
MAILCHIMP_LIST_ID                            'ff25e8c10f'
MANAGERS                                     []
MEDIA_ROOT                                   '/opt/project/src/../media'
MEDIA_URL                                    '/media-2/'
MESSAGE_STORAGE                             'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE                                  ['django.contrib.sessions.middleware.SessionMiddleware',
                                             'django.contrib.auth.middleware.AuthenticationMiddleware',
                                             'geotargeting.middleware.GeotargetingMiddleware',
                                             'django.middleware.security.SecurityMiddleware',
                                             'django.middleware.locale.LocaleMiddleware',
                                             'django.middleware.common.CommonMiddleware',
                                             'django.middleware.csrf.CsrfViewMiddleware',
                                             'cms.middleware.utils.ApphookReloadMiddleware',
                                             'django.contrib.messages.middleware.MessageMiddleware',
                                             'django.middleware.clickjacking.XFrameOptionsMiddleware',
                                             'crequest.middleware.CrequestMiddleware',
                                             'cms.middleware.user.CurrentUserMiddleware',
                                             'cms.middleware.page.CurrentPageMiddleware',
                                             'cms.middleware.toolbar.ToolbarMiddleware',
                                             'cms.middleware.language.LanguageCookieMiddleware',
                                             'core.middleware.AjaxMiddleware']
MIGRATION_MODULES                           {}
MODELTRANSLATION_FALLBACK_LANGUAGES          {'default': ()}
MONTH_DAY_FORMAT                            'F j'
NEWSLETTER_TO_EMAIL                         ('c.bartolini@hoopcommunication.it',)
NOCAPTCHA                                    True
NUMBER_GROUPING                             0
PASSWORD_HASHERS                            '*****'
PASSWORD_RESET_TIMEOUT                     '*****'
PREPEND_WWW                                 False
RECAPTCHA_PRIVATE_KEY                       '*****'
RECAPTCHA_PUBLIC_KEY                         '*****'
ROOT_URLCONF                                '_pomi_website.urls'
SECRET_KEY                                   '*****'
SECRET_KEY_FALLBACKS                        True
SECURE_CONTENT_TYPE_NOSNIFF                 'same-origin'
SECURE_CROSS_ORIGIN_OPENER_POLICY           False
SECURE_HSTS_INCLUDE_SUBDOMAINS              False
SECURE_HSTS_PRELOAD                          0
SECURE_HSTS_SECONDS                         ('HTTP_X_PROXY_SCHEME', 'https')
SECURE_REDIRECT_EXEMPT                      []
SECURE_REFERRER_POLICY                      'same-origin'

```

SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'_pomi_website.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
SITE_ID	1
SITE_ID_FOR_VISIBILITY	1
SITE_MENU_MAIL_RECIPIENTS	['c.bartolini@hoopcommunication.it', 'l.lanzoni@hoopcommunication.it']
STATICFILES_DIRS	['/opt/project/src/dist']
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	'/opt/project/src/../static'
STATIC_URL	'/static-2/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['/opt/project/src/dist/templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages', 'sekizai.context_processors.sekizai', 'cms.context_processors.cms_settings', 'site_extension.context_processors.sites_context', 'site_menu.context_processors.side_menu', 'geotargeting.context_processors.geo_targeting', 'geotargeting.context_processors.site_socials', 'products.context_processors.products_context']}]}
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	,
THUMBNAIL_DEBUG	False
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_DEPRECATED_PYTZ	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	True
USE_X_FORWARDED_PORT	False
VARY_ON_HEADER_DEFAULT	('X-Varnish-Is-Mobile-Viewer',)
VERSATILEIMAGEFIELD_SETTINGS	{'create_images_on_demand': True}
WKHTMLTOPDF_BIN	'/usr/bin/wkhtmltopdf'
WKHTMLTOPDF_BIN_CONF	{'LIVE': '/usr/bin/wkhtmltopdf', 'LOCAL': '/usr/local/bin/wkhtmltopdf',

```
        'TEST': '/usr/bin/wkhtmltopdf'}  
WSGI_APPLICATION  
        '_pomi_website.wsgi.application'  
X_FRAME_OPTIONS  
        'SAMEORIGIN'  
YEAR_MONTH_FORMAT  
        'F Y'
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.